




OUTDOOR HEATER



OH01-D




OH01-E

- Carbon fiber or golden tube optional
- 3 heating setting
- LED touch control screen
- 24h-timer with remote control
- Child lock function
- Wall mounted and standing with bracket
- Patent triangular foldable bracket
- IP24 waterproof
- WiFi & App





SPECIFICATION


Model No.	Power	Unit size LxWxH cm	Box size LxWxH cm	N.W.	G.W.	20GP	40GP	40HQ
OH01-1	1500W	69.5 8.0 18	22 12 78.5	2.0	2.6	1420	2880	3310
OH01-2	2000W	86.5 8.0 18	22 12 97.5	2.6	3.4	1160	2340	2690
OH01-3	2500W	99.5 8.0 18	22 12 108.5	3.2	4.2	1030	2090	2400
OH01-4	3000W	112.5 8.0 18	22 12 121.5	4.0	5.2	890	1830	2130
OH01-5	3000W	142.5 8.0 18	22 12 151.5	5.0	5.4	710	1460	1680




OH02-D



OH02-E



- Carbon fiber or golden tube optional
- 3 heating setting
- LED touch control screen
- 24h-timer with remote control
- Child lock function
- Wall mounted and standing with bracket
- Patent triangular foldable bracket
- IP24 waterproof
- WiFi & App



SPECIFICATION

Model No.	Power	Unit size LxWxH cm			Box size LxWxH cm			N.W.	G.W.	20GP	40GP	40HQ
OH02-1	1500W	64.5	8.0	12	16	12	59	2.0	2.6	2010	4030	4620
OH02-2	2000W	81.5	8.0	12	16	12	76	2.6	3.4	1590	3260	3670
OH02-3	2500W	94.5	8.0	12	16	12	89	3.2	4.2	1410	2480	3280
OH02-4	3000W	107.5	8.0	12	16	12	102	4.0	5.2	1260	2540	2940
OH02-5	3000W	137.5	8.0	12	16	12	132	5.0	5.4	1010	2010	2320



OTH01-D

OTH01-E

- Carbon fiber or golden tube optional
- 3 heating setting
- LED touch control screen
- 24h-timer with remote control
- Child lock function
- Wall mounted and standing with bracket
- Patent triangular foldable bracket
- IP24 waterproof
- WiFi & App



SPECIFICATION

Model No.	Power	Unit size LxWxH cm			Box size LxWxH cm			N.W.	G.W.	20GP	40GP	40HQ
OTH01-1	1500W	30.0	30	83.5	22.0	12.5	90.0	5.0	6.0	1160	2380	2750
OTH01-2	2000W	30.0	30	118.0	22.0	12.5	124.5	6.0	7.2	810	1690	1970

SCREEN OPTION



OTH01-D SERIES


OTH01-E SERIES



OTH02-D

OTH02-E

- Carbon fiber or golden tube optional
- 3 heating setting
- LED touch control screen
- 24h-timer with remote control
- Child lock function
- Wall mounted and standing with bracket
- Patent triangular foldable bracket
- IP24 waterproof
- WiFi & App



SPECIFICATION

Model No.	Power	Unit size LxWxH cm			Box size LxWxH cm			N.W.	G.W.	20GP	40GP	40HQ
OTH02-1	1500W	24.0	24.0	83.5	16.0	12.5	86.0	5.0	6.0	1630	3370	3890
OTH02-2	2000W	24.0	24.0	118.0	16.0	12.5	120.5	6.0	7.2	1120	2380	2750

SCREEN OPTION



OTH02-D SERIES

OTH02-E SERIES



OTH02-AC

- Carbon fiber or golden tube optional
- 3 heating setting
- LED touch control screen
- 24h-timer with remote control
- Child lock function
- Height adjustable from 1.2 to 2m
- Standing and spreading
- IP24 waterproof
- WiFi & App



SPECIFICATION

Model No.	Power	Unit size LxWxH cm			Box size LxWxH cm			N.W.	G.W.	20GP	40GP	40HQ
OTH02-AC	2000W	48.0	32.0	118.0	22.0	15.5	123.5	11.5	12.5	640	1330	1570

